

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

6257

LITERATURE
BUREAU OF
* FEB 3 1934

U. S. Department of Agriculture

FALL 1933

SPRING 1934



TRADE LIST OF

COLLECTED

NATIVE PLANTS

AND

HARDY PERENNIAL



GROWN AND COLLECTED BY

J. M. BASSETT

HAMMONTON, N. J.

U. S. A.

TERMS

Orders from unknown parties must be accompanied with cash or satisfactory references.

All bills due 30 days net.

2 per cent. for cash in ten days.

No discount on orders or invoices under ten dollars.

5 per cent. discount for cash with order.

Approved credit references, 30 days net.

Packing charged at cost.

I sell 5 to 50 plants of the same species, grade and size at the 10 rate, 50 to 500 plants at the 100 rate, 500 or more at the 1000 rate.

NATIVE SHRUBS AND PLANTS NURSERY GROWN

| | | 100 | 1000 |
|--------|-------------------------------|---------|-------|
| 350 | AMELANCHIER BOTRYAPIUM | | |
| T | 2-3 ft. | \$10.00 | \$ |
| 1,000 | AMELANCHIER CANADENSIS | | |
| T | 8-12 in. | 6.00 | 45.00 |
| 3,000 | AMELANCHIER CANADENSIS | | |
| SB | 2-4 in. | 2.50 | 18.00 |
| 10,000 | ABIES BALSAMEA | | |
| SB | 4-8 in. | 3.00 | 15.00 |
| 225 | AZALEA CALENDULACEA | | |
| T | 10-15 in. | 45.00 | |
| 100 | AZALEA VISCOSA | | |
| T | 12-18 in. | 45.00 | |
| 250 | CEANOTHUS AMERICANA | | |
| T | 1½-2 ft. | 20.00 | |
| 150 | CERCIS CANADENSIS | | |
| T | 3-4 ft. | 15.00 | |
| 75 | CLETHRÀ ALNIFOLIA | | |
| T | 2-3 ft. | 30.00 | |
| 500 | CORNUS ALTERNIFOLIA | | |
| T | 3-4 ft. | 10.00 | 70.00 |
| 1,000 | CORNUS FLORIDA | | |
| SB | 1-2 ft. | 2.50 | 18.00 |
| 80 | CORNUS FLORIDA | | |
| T | 3-4 ft. | 40.00 | |
| 50 | CORNUS FLORIDA | | |
| T | 4-5 ft. | 60.00 | |
| 500 | HAMAMELIS VIRGINICA | | |
| T | 2-3 ft. | 8.00 | |
| 300 | HAMAMELIS VIRGINICA | | |
| T | 1-2 ft. | 10.00 | |
| 225 | ILEX OPACA | | |
| T | 1-2 ft. | 25.00 | |
| 500 | ILEX VERTICILATA | | |
| T | 1½-2 ft. | 6.00 | 50.00 |
| 500 | ITEA VIRGINICA | | |
| T | 1½-2 ft. | 8.00 | 50.00 |
| 1,000 | ITEA VIRGINICA | | |
| T | 2-2½ ft. | 10.00 | 75.00 |
| 600 | KALMIA LATIFOLIA | | |
| T | 12-15 in. | 35.00 | |
| 2,000 | LIATRIS GRAMINIFOLIA | 4.00 | 30.00 |
| 1,000 | MAGNOLIA GLAUCA | | |
| T | 3 yr. | 10.00 | 70.00 |

| | | 100 | 1000 |
|--|-------|-------|-------|
| 100 MAGNOLIA GLAUCA | | | |
| T 1-2 ft. | | 20.00 | |
| 10,000 PRUNUS MARITIMA | | | |
| 2 yr. SB | | 4 00 | 30.00 |
| 600 TSUGA CANADENSIS | | | |
| 8-12 in. | | 5.00 | 40.00 |
| 200 TSUGA CANADENSIS | | | |
| 12-18 in. | | 6.00 | |
| 1,000 VACCINIUM CORYMBOSUM | | | |
| SB 8-12 in. | | 6.00 | 50.00 |
| 1,000 VINCITOXICUM ACUMINATUM | | | |
| T | | 5.00 | 40.00 |
| TREES AND SHRUBS | | | |
| | | 10 | 100 |
| ACER RUBRUM (Red Maple) | | | 1000 |
| 2-4 ft., Lining out stock | | 1 00 | 3.00 |
| 4-6 ft. | | 1.50 | 12.00 |
| 6-8 ft. | | 2.50 | 20.00 |
| 8-10 ft. | | 5.00 | 45.00 |
| ANDROMEDA CALYCULATA (CHAMAEDAPHNE) | | | |
| (Leather Leaf) | | | |
| 6-12 in., Lining out stock | | 1.00 | 5.00 |
| 12-15 ft. B&B | | 2.00 | 15.00 |
| ANDROMEDA LIGUSTRINA (Male Berry) | | | |
| 2-3 ft. B&B | | 3 50 | 30.00 |
| 3-4 ft. B&B | | 4.50 | 40.00 |
| ANDROMEDA MARIANA (Stagger Bush) | | | |
| 6-12 in. Seedlings | | 1 00 | 4.00 |
| 1-2 ft. | | 1.50 | 6.00 |
| ANDROMEDA RACEMOSA (Fetter Bush) | | | |
| -12 ft. | | 1.00 | 6.00 |
| 2-3 ft. | | 1.50 | 8.00 |
| AZALEA VIScosa (White Swamp Honey-suckle) | | | |
| Cut back clumps | | 2.00 | 7 00 |
| 1 ½-2 ft. clumps. B&B 5 stems | .. | 3.00 | 30.00 |
| 2-3 ft. clumps B&B 5 stems | | 3.50 | 35.00 |
| 3-4 ft. clumps B&B 5 stems | | 4.50 | 45.00 |
| 4-6 ft. clumps B&B 8 stems | | 6.00 | 60.00 |
| BACCHARIS HALIMAFOLIA (Groundsel Tree) | | | |
| 1-2 ft. | | 1.50 | 7.00 |
| 2-3 ft. | | 2.00 | 8.00 |
| BETULA POPULIFOLIA (Gray Birch) | | | |
| 2-4 ft. | | 1.50 | 4.00 |
| 4-6 ft. Heavy clumps B&B | | 4.00 | 40.00 |
| 6-8 ft. Heavy clumps B&B | | 7.00 | 65.00 |
| 8-10 ft. Heavy clumps B&B | | 10.00 | 90.00 |
| CLETHRA ALNIFOLIA (Sweet Pepperbush) | | | |
| Cut back clumps | | 1.00 | 5.00 |
| 2-3 ft. Heavy clumps | | 1.50 | 12.00 |
| 3-4 ft. Heavy clumps | | 2.00 | 18.00 |
| COMPTONIA ASPLENIFOLIA (Sweet Fern) | | | |
| Lining out stock | | 1.00 | 3.00 |
| | | | 25 00 |
| COREMA CONRADII (Conrades Crowberry) | | | |
| Small clumps | | 1 00 | 5.00 |
| Large clumps | | 1.50 | 10.00 |

| | 10 | 100 | 1000 |
|--|-------|-------|-------|
| CORNUS FLORIDA (White Flowering Dogwood) | | | |
| 6-12 in. | .75 | 4.00 | 35.00 |
| 1-2 1/2 ft. | 1.25 | 6.00 | 50.00 |
| 3-5 ft. Selected | 4.00 | | |
| 5-6 ft. Selected | 6.00 | | |
| CUPRESSUS THYOIDES (White Cedar) | | | |
| 6-12 in. puddled | .75 | 1.50 | 12.00 |
| 1-2 ft. Puddled | 1.00 | 3.00 | 20.00 |
| 2-3 ft. | 3.00 | 25.00 | |
| 3-4 ft. | 4.00 | 35.00 | |
| GAYLUSSACIA DUMOSA (Dwarf Huckleberry) | | | |
| | 1.50 | 7.00 | |
| GAYLUSSACIA BACCATA (Black Huckleberry) | | | |
| | 1.00 | 6.00 | |
| HUDSONIA tomentosa (Woolly Beach Heather) | | | |
| | 1.00 | 5.00 | |
| HUDSONIA ERICOIDES (Pine Barren Heather) | | | |
| | 1.00 | 5.00 | |
| HYPERICUM DENSIFLORUM (St. John's-Wort) | | | |
| 1-2 ft. | 1.00 | 4.00 | |
| ILEX GLABRA (Inkberry) | | | |
| 6-12 in. Ling out stock | 1.00 | 5.00 | 40.00 |
| 1-2 ft. B&B | 4.00 | | |
| 2-3 ft. B&B | 7.50 | | |
| ILEX OPACA (American Holly) | | | |
| 3-6 in. Seedlings | 1.00 | 6.00 | |
| 1-2 ft. | 2.00 | 12.00 | |
| 2-3 ft. B&B Heavy | 20.00 | | |
| 3-4 ft. B&B Heavy | 35.00 | | |
| We remove all leaves from American Holly before shipping. | | | |
| JUNIPERUS VIRGINIANA (Red Cedar) | | | |
| 6-12 in. puddled | 1.00 | 4.00 | 30.00 |
| 1-2 ft. puddled | 1.50 | 6.00 | 45.00 |
| KALMIA ANGUSTIFOLIA (Sheep Laurel) | | | |
| 6-12 in. Seedlings | 1.00 | 7.00 | |
| 1-2 ft. B&B | 3.00 | | |
| 2-3 ft. B&B | 4.00 | | |
| KALMIA LATIFOLIA (Mountain Laurel) | | | |
| 1 1/2-3 ft. B&B | 3.00 | | |
| 3-4 ft. B&B | 4.00 | | |
| 4-5 ft. B&B | 5.00 | | |
| LEIOPHYLLUM BUXIFOLIUM (Sand Myrtle) | | | |
| 3-6 in. | 1.00 | 4.00 | |
| 6-12 in. B&B | 1.50 | | |
| MAGNOLIA GLAUCA (Sweet Bay) | | | |
| 6-12 in Seedlings | 1.50 | 12.00 | |
| 1-2 ft. Clumps | 3.00 | | |
| 2-3 ft. Clumps B&B | 5.00 | | |
| 3-4 ft. Clumps B&B | 7.00 | | |
| 4-6 ft. Clumps B&B | 10.00 | | |
| 6-8 ft. Clumps B&B | 15.00 | | |
| Our collected Magnolias are all heavy stock 3 or more stems and well branched. | | | |
| MYRICA CAROLINIENSIS (Bayberry) | | | |
| 6-12 in. | 1.50 | 5.00 | 40.00 |
| 1-2 ft. | 2.00 | 10.00 | |
| 2-3 ft. Clumps B&B | 3.50 | | |
| 3-4 ft. Clumps B&B | 4.50 | | |
| PINUS ECHINATA (Yellow Pine) | | | |
| 6-12 in. | 1.50 | 5.00 | 40.00 |

| | 10 | 100 | 1000 |
|--|------|-------|-------|
| PINUS RIGIDA (Pitch Pine) | | | |
| 6-12 in. | 1.00 | 4.00 | 30.00 |
| PINUS VIRGINIANA (Persey Pine) | | | |
| 6-12 in. | 1.50 | 5.00 | 40.00 |
| PRUNUS MARITIMA (Beech Plum) | | | |
| 6-12 in. | 1.00 | 4.00 | 30.00 |
| 1-2 ft. | 1.00 | 6.00 | 40.00 |
| 2-3 ft. | 1.50 | 10.00 | |
| 3-4 ft. | 2.00 | 12.00 | |
| PYRUS ARBUTIFOLIA (Red Chokeberry) | | | |
| 1-2 ft. lining out stock | 1.00 | 4.00 | 30.00 |
| RHUS COPALINA (Dwarf Sumach) | | | |
| 1-2 ft. | 1.00 | 3.00 | 25.00 |
| 2-3 ft. Branched | 1.50 | 4.00 | 30.00 |
| 3-4 ft. Branched | 2.00 | 5.00 | 40.00 |
| ROBINIA HISPIDA (Bristly Locust) | | | |
| 6-12 in. | 1.00 | 5.00 | |
| ROSA CAROLINA (Swamp Pinnk) | | | |
| 2-3 ft. | 1.00 | 7.00 | |
| RUBUS CUNEIFOLIUS (Sand Blackberry) | | | |
| 6-12 in. | 1.00 | 4.00 | 30.00 |
| SAMBUCUS CANADENSIS (Common Elder) | | | |
| | 1.50 | 6.00 | 40.00 |
| SYMPHORICARPUS VULGARIS (Coral Berry) | | | |
| 1-2 ft. | 1.00 | 4.00 | 30.00 |
| SPIRAEA PRUNIFOLIA (Bridal Wreath) | | | |
| 1-2 ft. | 1.00 | 3.00 | 25.00 |
| SPIRAEA TOMENTOSA (Steeple Bush) | | | |
| 2-3 ft. | 1.00 | 8.00 | |
| 3-4 ft. | 1.50 | 12.00 | |
| SYRINGA VULGARIS (Common Lilac) | | | |
| 1-2 ft. | .50 | 2.50 | 20.00 |
| VACCINIUM CORYMBOSUM (Blue Berry) | | | |
| 6-12 in. | 1.00 | 5.00 | 40.00 |
| 1-2 ft. | 1.50 | 8.00 | 60.00 |
| 2-3 ft. Clumps B&B | 2.50 | | |
| 3-4 ft. Clumps B&B | 4.00 | | |
| VACCINIUM VASCILLANS (Late or Low Blue Berry) | | | |
| 8-12 in. | 1.00 | 6.00 | |
| VIBURNUM CASSINOIDES (Withe-Rod) | | | |
| 1-2 ft. Clumps with ball | 1.50 | 14.00 | |
| 2-3 ft. Clumps with ball | 2.00 | 18.00 | |
| 3-4 ft. Clumps with ball | 3.00 | 30.00 | |
| 4-5 ft. Clumps with ball | 4.00 | 40.00 | |

VINES AND TRAILERS

| 10 | 100 | 1000 |
|----|-----|------|
|----|-----|------|

| | | | |
|---|--------|--------|-------|
| AMPELOPSIS QUINQUIFOLIA (Virginia creeper) | | | |
| | \$1.00 | \$7.00 | \$ |
| ARCTOSTAPHYLOS UVA URSA (Bearberry) | | | |
| | 1.00 | 4.00 | 30.00 |
| CLINTONIA BOREALIS (Bluebead) | | | |
| Clumps | 1.00 | 4.00 | 25.00 |
| COPTIS TRIFOLIA (Gold thread) | | | |
| Clumps | 1.00 | 4.00 | 25.00 |
| CORNUS CANADENSIS (Bunch berry) | | | |
| Clumps | 1.50 | 5.00 | 40.00 |
| EPIGAEA REPENS (Trailing arbutus) | | | |
| Clumps with ball | 2.50 | 20.00 | |

| | 10 | 100 | 1000 |
|---|------|-------|-------|
| GAULTHERIA PROCUMBENS (Winterberry) | | | |
| Clumps with ball | 1.00 | 5.00 | 40.00 |
| HEPATICHA AUCTILOBA (Sharplobe Hepatica) | | | |
| 3-5 bud plant | 1.50 | 4.00 | 30.00 |
| HEPATICHA TRILOBA (Round lobe Hepatica) | | | |
| 3-5 bud plant | 1.50 | 4.00 | 30.00 |
| MITCHELLA REPENS (Partridge berry) | | | |
| Clumps | 1.00 | 6.00 | |
| PHLOX SUBULATA (Moss Pink) | | | |
| Clumps | 1.50 | 10.00 | |
| POTENTILLA TRIDENTATA (Wineleaf Cinquefoil) | | | |
| Clumps | 2.00 | 8.00 | |
| PYROLA AMERICANA (Round leaf pyrola). | | | |
| | 1.50 | 6.00 | |
| RUBUS CANADENSIS (Running Dew Berry) | | | |
| | .75 | 5.00 | |
| RUBUS CANADENSIS (Running Dew Berry) | | | |
| | .75 | 3.00 | 15.00 |
| SMILAX ROTUNDIFOLIA (Round leaf Greenbrier.) | | | |
| | 1.00 | 7.00 | |
| SMILAX GLAUCA | | | |
| | 1.00 | 6.00 | |
| TIARELLA CORDIFOLIA (Allegheny Foamflower) | | | |
| | 1.50 | 6.00 | |
| VACCINNIUM MACROCARPUM (Cranberry) | | | |
| Clumps | .75 | 3.00 | 20.00 |
| VINCA MINOR (Periwinkle) | | | |
| Divisions | .75 | 2.50 | 20.00 |
| Strong clumps | 1.00 | 4.00 | 30.00 |

HERBACEOUS PERENNIALS

| | 10 | 100 | 1000 |
|--|------|------|-------|
| ACTAEA ALBA (White Baneberry) | | | |
| | 1.50 | 6.00 | |
| ACTAEA RUBRA (Red Baneberry) | | | |
| | 1.50 | 6.00 | |
| ALETRIS FARINOSA (Colic Root) | .75 | 3.00 | 25.00 |
| ARENARIA SQUAROSA | 1.00 | 5.00 | 40.00 |
| ARISEMA TRIPHYLLUM (Jack in the Pulpit) | | | |
| | 1.25 | 5.00 | |
| ASARUM CANADENSE (Canada Wild Ginger) | | | |
| | 1.50 | 6.00 | |
| ASTER LINARIFOLIUS | 1.00 | 5.00 | 40.00 |
| ASTER SPECTABILIS (Showy Aster) | | | |
| | 1.00 | 7.00 | |
| AQUILEGIA CANADENSIS (American Columbine) | | | |
| | 1.50 | 5.00 | |
| BAPTISIA TINCTORIA (Yellow wild Indigo) | | | |
| | 1.50 | 6.00 | |
| BRUNELLA VULGARIS (Self heal) | | | |
| | .60 | 2.00 | 15.00 |
| CALTHA PALUSTRIS (Marsh marigold) | | | |
| Clumps | 1.50 | 6.00 | |
| CHIMAPHILA MACULATA (Spotted pipsissewa) | | | |
| | 1.00 | 5.00 | |
| CHIMAPHILA umbellata (Pipsissewa) | | | |
| | 100 | 5.00 | |
| CHRYSOPSIS FALCATA (Golden Aster) | | | |
| | 1.50 | 6.00 | |

| | 10 | 100 | 1000 |
|---|------|-------|-------|
| CHRYSOPSIS MARIANA | 1.00 | 6.00 | |
| CIMICIFUGA RACEMOSA (Cohosh Bugbane) | 2.00 | 10.00 | |
| CLAYTONIA VIRGINICA (Virginia Spring Beauty) | 1.00 | 5.00 | 40.00 |
| DIOSCOREA VILLOSA (Wild Yam) | 1.00 | 5.00 | |
| ERYTHRONIUM AMERICANUM (Common Trout Lily) | 1.00 | 4.00 | |
| EUPHORBIA COROLLATA (Flowering Spurge) | 1.00 | 6.00 | |
| EUPHORBIA IPECACUANHAE (Wild Ipecac) | 1.00 | 4.00 | 30.00 |
| GENTIANA PORPHIRIO (Pine Barren Gentian) | 1.50 | 8.00 | |
| HELENIUM AUTUMNALE (Sneeze weed) | 1.50 | 6.00 | 50.00 |
| HEMEROCALLUS (Tawny Day Lily) | 1.00 | 4.00 | 35.00 |
| HYPOXIS EREATA (Star Grass) 1.00 | 6.00 | | |
| IPOMEA PANDURATA (Man of the earth) | 3.00 | | |
| IRIS PRISMATICA (Slender Blue Flag) | 1.00 | 4.00 | 35.00 |
| IRIS VERSICOLOR (Large Blue Flag) | 1.00 | 4.00 | 35.00 |
| LIATRIS GRAMINAFOLIA (Grass leaf Gay Feather) | 1.00 | 3.00 | 25.00 |
| LINNEA AMERICANA (American Twinflower) | 1.50 | 6.00 | |
| LINARIA CANADENSIS (Blue Toad Flax) | 1.00 | 3.00 | 15.00 |
| LINARIA VULGARIS (Butter and Eggs) | 1.00 | 4.00 | 30.00 |
| LILIUM CANADENSE (Canada Lily) First size | 1.50 | 6.00 | 50.00 |
| Second size | 1.00 | 4.00 | 30.00 |
| LILIUM PHILADELPHICUM (Orange Cup Lily) First size | 1.50 | 6.00 | |
| Second size | 1.00 | 4.50 | |
| LILIUM SUPERBUM (American Turkscap Lily) First size | 1.50 | 10.00 | |
| Second size | 1.00 | 6.00 | |
| MAIANthemum CANADENSE (False Lily of the Valley). clumps | 1.00 | 4.00 | 35.00 |
| MENTHA VIRIDIS (Spearmint) .. | 1.00 | 4.00 | 35.00 |
| MERTENSIA VIRGINICA (Virginia Bluebell) | 1.50 | 6.00 | |
| OENOTHERA FRUTICOSA (Sundrops) | 2.00 | 5.00 | 25.00 |
| PYXIDANTHERA BARBULATA (May Moss) Large clumps | 2.00 | 10.00 | |
| Small clumps | 1.25 | 6.00 | |
| RUDBECKIA HIRTA (Black-Eyed Susan) | 1.00 | 6.00 | 50.00 |
| SANGUINARIA CANADENSIS (Blood Root) | 1.00 | 4.00 | 30.00 |

| | 10 | 100 | 1000 |
|---|------|------|-------|
| SOLIDAGO NEMORIALIS (Gray Golden Rod) | | | |
| | 1.00 | 5.00 | |
| SOLIDAGO ODORA (Sweet Golden Rod) | | | |
| | 1.00 | 5.00 | 40.00 |
| SOLIDAGO SEMPERVIRENS (Seaside Golden Rod) | | | |
| | 1.00 | 6.00 | 40.00 |
| SOLIDAGO TENUFOLIA (Slender Golden Rod) | | | |
| | 1.00 | 4.00 | 35.00 |
| TEPHROSIA VIRGINICA (Wild Sweet Pea) | | | |
| | 1.00 | 5.00 | 40.00 |
| TRILLIUM ERECTUM (Purple Trillium) | | | |
| | 1.00 | 4.00 | 30.00 |
| TRILLIUMGRANDIFLORUM (Snow Trillium) | | | |
| | 1.00 | 4.00 | 30.00 |
| TRILLIUM UNDULATUM (Painted Trillium) | | | |
| | 1.50 | 5.00 | 35.00 |
| VIOLA CUCULLATA (Blue Marsh Violet) | | | |
| | 1.00 | 3.00 | 25.00 |
| VIOLA PEDATA (Bird's Foot Violet) | | | |
| | 1.00 | 5.00 | 40.00 |
| XEROPHYLLUM ASPHODELOIDES (Turkey Beard) | | | |
| | 2.00 | 7.00 | 60.00 |

AQUATICS

| | 10 | 100 | 1000 |
|--|------|-------|-------|
| BRASENIA PELTATA (Water Shield) | | | |
| | 1.50 | 10.00 | |
| NUPHAR ADVENA (Spatter Dock) | | | |
| | 2.00 | 10.00 | |
| NYMPHAEA ODORATA (Large White Water Lily) | | | |
| | 1.50 | 6.00 | 50.00 |
| NYMPHAEA ODORATA MINOR (Small White Water Lily) | | | |
| | 1.50 | 6.00 | 50.00 |
| ORONTIUM AQUATICUM (Golden Club) | | | |
| | 2.00 | 8.00 | 50.00 |
| PELTANDRA VIRGINICA (Arrow Arum) | | | |
| | 2.00 | 10.00 | |
| PONTEDERIA CORDATA (Pickerel Weed) | | | |
| | 3.00 | 10.00 | |

BOG PLANTS

| | | | |
|---|------|-------|-------|
| ACORUS CALAMUS (Sweet Flag) | 1.00 | 5.00 | 45.00 |
| CALLA PALUSTRIS (Wild Calla) | 1.50 | 4.00 | 30.00 |
| CALAPOGON PULCHELLUS (Grass Pink Orchid) | 2.00 | 10.00 | |
| DROsera FILIFORMIS (Narrow leaf Sundew) | .75 | 3.00 | |
| DROsera ROTUNDIFOLIA (Round leaf Sundew) | 1.00 | 3.00 | |
| ERYNGIUM VIRGINICUM | 1.50 | 6.00 | |
| EUPATORIUM PURPUREUM (Joe Pie Weed) | 1.00 | 5.00 | 40.00 |
| HELONIAS BULLATA (Swamp Pink) | 1.50 | 8.00 | |
| LACNANTHES TINCTORIA (Red Root) | .50 | 2.00 | 15.00 |
| LOBELIA CARDINALIS (Cardinal Flower) | 1.50 | 6.00 | |

| | 10 | 100 | 1000 |
|---|------|-------|-------|
| NARTHECIUM (Abama) Amer'm. (Bog Asphodel) | | | |
| | 3.00 | 10 00 | 60.00 |
| NECEA VERTICILLATA | 2.00 | 8.00 | |
| SARRACENIA PURPUREA (Pitcher Plant) | | | |
| | 1.50 | 8.00 | 50.00 |
| SCRIPUS ERIOPHORUM | 1.00 | 6.00 | 40.00 |
| TYPHA ANGUSTIFOLIA (Narrow leaf Cat-tail) | | | |
| | 2.50 | 10.00 | |
| TYPHA LATIFOLIA (Broad leaf Cat-tail) | | | |
| | 2 50 | 10.00 | |
| VERNONIA NOVABORACENSIS (New York Iron Weed) | 2.00 | 10.00 | |

FERNS

| | 10 | 100 | |
|--|--------|--------|--|
| ADIANTUM PEDATUM (American Maidenhair) | | | |
| Large clumps | \$2.00 | \$8.00 | |
| Small clumps | 1.50 | 6.00 | |
| ASPLENIUM EBENIUM (Ebony Spleenwort) | | | |
| Clumps | 1.00 | 4.00 | |
| ATHYRIUM FELIXFEMINA (Lady Fern) | | | |
| Clumps | 1 50 | 6.00 | |
| DENNSTEDTIA PUNCTILOBULA (Hay scented Fern) | | | |
| Clumps | 1.00 | 5.00 | |
| DRYOPTERIS LINNAEANA (Oak Fern) | | | |
| Clumps | 1.50 | 8.00 | |
| DRYOPTERIO MARGINALIS (Leatherwood Fern) | | | |
| Large clumps | 1.50 | 6.00 | |
| Small clumps | 1.00 | 4 00 | |
| DRYOPTERIO SPENULOSA (Toothed Wood Fern) | | | |
| Large clumps | 1.50 | 6.00 | |
| Small clumps | 1.00 | 4 00 | |
| ONOCLEA SENSIBILIS (Sensitive Fern) | | | |
| Large clumps | 1.00 | 4.00 | |
| Small clumps | .75 | 3.00 | |
| OSMUNDA CINNAMOMEA (Cinnamon Fern) | | | |
| Clumps | 1.50 | 8.00 | |
| OSMUNDA CLAYTONIANA (Interrupted Fern) | | | |
| Large clumps | 1.50 | 8.00 | |
| Small clumps | 1.00 | 5.00 | |
| OSMUNDA REGALIS (Royal Fern) | | | |
| Large clumps | 1.25 | 6.00 | |
| Small clumps | 1.00 | 4.00 | |
| POLYPODIUM VULGARE (Common Polypody) | | | |
| Large clumps | 1.50 | 6.00 | |
| Small clumps | 1.00 | 4.00 | |
| POLYSTICHUM ACROSTICHOIDES (Christmas Fern) | | | |
| Large clumps | 1 50 | 6.00 | |
| Small clumps | 1.00 | 4.00 | |
| PTERETIS NODULOSA (Ostrich Fern) | | | |
| Large clumps | 2.00 | 8 00 | |
| Small clumps | 1.50 | 5.00 | |
| WOODSIA OBTUSA (Rusty Woodsia) | | | |
| Clumps | 1.50 | 6.00 | |
| WOODSIA OBTUSA (Common Woodsia) | | | |
| Clumps | 1.50 | 6.00 | |
| WOODWARDIA AREOLATA (Chain Fern) | 1.00 | 4.00 | |
| WOODWARDIA VIRGINICA (Virginia Chain Fern) | 1.00 | 4.00 | |

